


Solar Warning Light JW072



- Battery Type: 2 x Ni-MH 1.2V rechargeable battery
- Function: flash in turn or flash -close
- Photocell auto on at dusk, off at dawn
- With different base for various usage

Warning Light JW073



Item NO	Product size	Visual Distance	Battery Type
JW073	135*70*305mm flashing department φ135mm	≥1000M	R20 battery(D,UM-1) 1.5V*2 pcs

Solar Warning Light JW074



Item NO	Lens Diameter	Height	Source	Material	Feature	Battery
JW074	7.2 cm	15.3 cm	Super bright 6 LED	PC Material	Light Control System	Ni-MH 2.4V1300mAh battery, 0.3W solar panel

Solar Warning Light JW075



Item NO	JW075
Size	185x95x325 mm
Solar Panel	0.3 W
Power	Ni-MH 2.4V 1300mAh rechargeable battery
Visual Distance	Over 500 meters
Color	Red and yellow are both available
LED Number	High Brightness 2 PCS LEDs


Solar Warning Light JW076



- Item NO.: JW076
- LED QTY: 4 PCS ultra bright LED
- Function: Flash - Close
- Built-in silver gift cup, increase the light scope
- Mounted to walls, barricades, traffic cone and poles.

Use during road construction and signal safety hazard build sites, warehouse, airport, etc.


Warning Light JW077



Item NO	JW077
Lens Diameter	185 cm
Height	38 cm
Light Source	2 PCS ultra brightness LEDs, light sensor control system
Battery	2 PCS 6V 4R25

## WARNING LIGHT

Warning Light JW088



Item NO	JW088
Size	185*105*250mm(the lamp face 道185mm)
Material	PC,PP
Light Resource	High Brightness LED *24pcs
Visual Distance	Over 1000 meters
Flashing Style	Three Flash a stop),60times/min
Base Option	Flat base cover with 3 / 6 pcs magnetic button
Flashing Frequency	Standard flash rate in 65+/-10fpm
Battery	R20battery(D,UM-1)1.5V*2pcs

Solar Warning light JW206A



Item NO	JW206A
Solar Panel	4.6V120-150 mA,0.3W
Power	2.4V 2800 mAh rechargeable battery
Visual Distance	Over 500 meters
Color	Red, yellow,Amber

Solar Warning light JW206B



- Size: 22.5(H) \* 18(dia.) cm
- Material: PP/AS
- Double Lens with advanced optics for visibility
- 4 PCS ultra bright LEDs
- 360 degree swivel head
- Photocell automatic on at dusk,off at dawn

## WARNING LIGHT

Single Battery Type Warning Light JW-1310



Single Battery Type Warning Light JW-1315




PIC	Item NO	Color	Battery	Visual Distance	Product Size	Advantage
1	JW-1310	Amber / Yellow / Red	1 x 4R25 6V battery	Over 1000 meters	L185*W95*H325mm	/
2	JW-1315	Amber / Yellow / Red	1 x 4R25 6V battery	Over 1000 meters	/	360 degree flashing

Warning Light JW069



- Twofold Basic Diameter 340mm
- Power: Halogen,Xenon,LED
- Input: 12V/DC
- Flash frequency: 65/min




## WARNING LIGHT

### LED Road Flare



Size	11(dia.) * 3.5(H) cm
Weight	187g
Color	Red, Yellow, Blue, Green, White and Black
Function	9 kind of flashing
Visible distance	≥800meters
Work time	more than 100 hours
Type	Rechargeable / Battery
Feature	magnetic, waterproof, anti-corrosion, compression
Material	TPE+PC
LED number	16 Super bright LEDs



### Roadside LED Flare Kit



Size	12cm diameter x 20cm high
Weight	100 without battery
Battery	3pcs AAA dry battery
Shelf-Life	10 Years
Waterproof	IP66
Op. & Storage Temps	Fahrenheit: -40/-40 to 212/248 deg F Celsius: -40/-40 to 100/110 deg C
Emission Source	360 degree LED array; solid-state; no filament
LED Light Colors	Red, amber, blue, green, white, infrared (IR). Custom colors available.
Daylight & Night Visibility Ranges	Night: visible to 900M (3,000 ft) on road, 10 miles (16 km) from air Day: visible to 300M (1,000 ft).
Housing Color & Material	Polymer and PC
Package	This electronic road flare set comes in a handy carrying case.
HAZMAT	Hermetically sealed; intrinsically safe
Chemical	Contains no hazardous chemicals, Withstands exposure to petroleum-based fuels
Switch Type	Push Button
Approvals & Certifications	Complies with U.S. DOT (FMCSA) 49 CFR E 392.25 & 393.95(g). MUTCD Type A (flashing) and Type C (solid on). Designed to meet MIL-SPEC/MIL-STD 810 for shock, vibration, and water-resistance.

## WARNING LIGHT

### LED Beacon Light



PIC	Item NO	Voltage	Power	Color	Size	G.W.	Warranty	Carton size	
1	JW-1001B	DC12V	6W	Red / Blue / Amber	185*124*130mm	0.6kg	One year	/	With 64 LEDs
2	JW-1002	DC12V	4W	Red / Blue / Amber / Red&Blue	Φ115*H125mm	0.7kg	One year	120*125*170mm	Explosion-flashing
3	JW-1003	DC12V/24V	4W	Red / Blue / Red&Blue	Φ95*H115mm	0.6kg	One year	/	With 36leds Explosion-flashing

### LED Beacon Light



PIC	Item NO	Voltage	Power	Color	Size	G.W.	Warranty	Carton size	
4	JW-1003A	DC12V	20W	Red / Blue / Amber / Red&Blue	Φ163*H132mm	0.9kg	One year	175*170*150mm	With 80leds Explosion-flashing
5	JW-1003B	DC12V	16W	Red / Blue / Amber / Red&Blue	Φ115*H117mm	1.2kg	One year	123*122*160mm	With 80leds Explosion-flashing
6	JW-1005	DC12V/24V	6W	Red / Amber	Φ174*H197mm	1.1kg	One year	185*185*160mm	With 36leds Explosion-flashing





## WARNING LIGHT

### LED Beacon Light



JW-1006

JW-2003

JW-2004

PIC	Item NO	Voltage	Power	Color	Size	G.W.	Warranty	Carton size
1	JW-1006	DC12V	10W	Red / Blue	Φ165*H135mm	1.1kg	One year	190*175*165mm
2	JW-2003	DC12V/24V	1W	Red / Blue / Amber / Red&Blue	Φ100*H110mm	0.4kg	One year	110*110*165mm
3	JW-2004	DC12V/24V	1W	Red / Blue / Amber	290*150*120mm	0.8kg	One year	300*160*140mm

### LED Beacon Light



JW-2005

JW-2006

PIC	Item NO	Voltage	Power	Color	Size	G.W.	Warranty	Carton size
4	JW-2005	DC12V	4W	Red / Blue	Φ150*H133mm	0.6kg	One year	190*175*165mm
5	JW-2006	DC12V/24V	2W	Amber / Red&Blue	Φ145*H125mm	0.6kg	One year	190*175*160mm



## TRAFFIC CONE

### PE Traffic Cone LZ-001



PIC	Height	Base Size	Weight
1	500 mm	28x28 cm	1.5 kgs
2	750 mm	38x38 cm	2.5 /4.2 kgs
3	1000 mm	49x49 cm	5.0 kgs
4	1000 mm	55x55 cm	7.5 kgs

### Israel Standard Traffic Cone LZ-002



PIC	Height	Base Size	Weight
5	500 mm	28x28 cm	1.5 kgs
6	750 mm	43x43 cm	4.0 kgs
7	1000 mm	50x50 cm	6.0 kgs